

 Facility Add.- Plot No.- E-25/26 UPSIDA, Industrial Area Babrala-243751. Distt- Sambhal

 Regd. Ofc.- 9/34 Avas Vikas-3, Ambedkarpuram. Panki Road Kalyanpur Kanpur-208017 U.P.

 > punahchakran@gunail.com.

 > 9956789525, 8707229503, Toll Free-18005725209

 > www.punahchakran.com

 CIN:U90009UP2020PTC136326

To, Integrated Regional Officer, Ministry of Environment, Forest and Climate Change, 5th Floor, Kendriya Bhawan, Sector – H, Aliganj, Lucknow, Uttar Pradesh.

Sub: Six-Monthly environment clearance compliance report of Common Bio-Medical Waste Treatment Facility (CBWTF) at Plot No. E-25/26, UPSIDC Industrial Area, Babrala, Sambhal, Uttar Pradesh developed by M/s Punahchakran Pvt Ltd.

Compliance Period: Pre-Monsoon June 2025 EC Identification No: EC23B057UP195254 dated 20.12.2023

Dear Sir,

This is in reference to the submission of the six-monthly Environmental Clearance (EC) compliance report for the aforementioned project. The project was granted EC by SEIAA, Uttar Pradesh, under EC Identification No. EC23B057UP195254 dated 20.12.2023, for the Post-Monsoon period of December 2024.

We hereby submit the point-wise compliance report addressing the specific and general conditions stipulated in the EC, along with relevant monitoring reports, recent site photographs, and waste collection documentation. The CBWTF unit is currently operational, and we remain fully committed to ensuring adherence to all conditions outlined in the granted clearance.

This is for your information and records please.

Yours Sincerely For M/s Punahchakran Private Limited

PUNAHCHAKRAN PVT LTD.

Director

Date: 28.06.2025

Authorized Signatory

Enclosed as above.

Copy to: Member Secretary, Uttar Pradesh Pollution Control Board, TC-12 V, Vibhuti Khand, Gomti Nagar, Lucknow. Email – <u>ms@uppcb.in</u>





Facility Add.- Plot No.- E-25/26 UPSIDA, Industrial Area Babrala-243751, Distt- Sambhal Regd. Ofc.- 9/34 Avas Vikas-3, Ambedkarpuram, Panki Road Kalyanpur Kanpur-208017 U.P. ⊠ punahchakran@gmail.com, 9956789525, 8707229503, Toll Free-18005725209 www.punahchakran.com CIN:U90009UP2020PTC136326

To, Integrated Regional Officer, Ministry of Environment, Forest and Climate Change, 5th Floor, Kendriya Bhawan, Sector – H, Aliganj, Lucknow, Uttar Pradesh.

Date: 28.06.2025

Sub: Six-Monthly environment clearance compliance report of Common Bio-Medical Waste Treatment Facility (CBWTF) at Plot No. E-25/26, UPSIDC Industrial Area, Babrala, Sambhal, Uttar Pradesh developed by M/s Punahchakran Pvt Ltd.

Compliance Period: Pre-Monsoon June 2025 EC Identification No: EC23B057UP195254 dated 20.12.2023

Dear Sir,

This is in reference to the submission of the six-monthly Environmental Clearance (EC) compliance report for the aforementioned project. The project was granted EC by SEIAA, Uttar Pradesh, under EC Identification No. EC23B057UP195254 dated 20.12.2023, for the Post-Monsoon period of December 2024.

We hereby submit the point-wise compliance report addressing the specific and general conditions stipulated in the EC, along with relevant monitoring reports, recent site photographs, and waste collection documentation. The CBWTF unit is currently operational, and we remain fully committed to ensuring adherence to all conditions outlined in the granted clearance.

This is for your information and records please.

Yours Sincerely For **M/s Punahchakran Private Limited**

PUNAHCHAKRAN PVT LTD.

Director

Authorized Signatory

Enclosed as above.

Copy to: Member Secretary, Uttar Pradesh Pollution Control Board, TC-12 V, Vibhuti Khand, Gomti Nagar, Lucknow. Email – <u>ms@uppcb.in</u>

Name of the Project	Common Bio-Medical Waste Treatment Facility by M/s Punahchakran Pvt Ltd
Registered Address	9/34, Avas Vikas- III, Ambedkar Puram, Panki Road, Kalyanpur, Kanpur, Uttar Pradesh – 208017
Location of the Unit	Plot No. E-25/26, UPSIDC Industrial Area, Babrala, District – Sambhal, Uttar Pradesh.
EC Identification No	EC23B057UP195254 dated 20.12.2023
EC Compliance Period	June 2025 (01 Oct – 31 March)

_ _ _ _ _ _ _

COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE

SPECII	FIC CONDITIONS	
S. No	Conditions	Compliance Status
1.	EC to the above project subject to any	Noted.
	order of any court.	
2.	UPPCB shall assess the increased stack height with stringent emission norms and take othermeasures to ensure that the operation of CBWTF shall have minimum impact on human health & environment around the proposed site.	Noted. The project proponent has installed incinerator with stack height of 33 meters. [As per emission regulation Part 3], with alkaline venture scrubber to control particulate emission with the necessary monitoring facilities as per the requirement of 'general parameter' as notified under the Environment (Protection) Act, 1986 and in accordance with the Central Pollution Control Board guidelines of Emission Regulation Part -3. All necessary air pollution control devices are put in place to ensure compliance with emission standards as prescribed in Bio-Medical Waste Management Rules 2016.
3.	Effluent generated shall be treated up to the standards as prescribed under the BMWM Rules, 2016 and shall be utilized completely for vehicle floor washing, cooling tower make up, gardening etc. CBWTF shall maintain zero liquid discharge from the CBWTF.	Effluent Treatment Plant of capacity 10KLD is installed to treat effluent from process operations like quenching, scrubbing, vehicle & floor washing etc. The scrubbing wastewater & effluent from vehicle and floor washing is treated in the ETP within the project premises & treated water is re-circulated for cooling tower & vehicle washing. Zero Liquid Discharge is being maintained.
4.	Adequate measures shall be taken for odour control by the CBWTF.	The project proponent is making the use of Masking agents for odour control. Dilution of odor concentration is done by spraying Ecosorb and

		Xorbent (organic & bio-degradable chemicals) around odor generation areas at regular intervals. Aero tiller is installed as masking agents. Plantation of aromatic trees species has been done for mitigating the odor. Any area available would be filled with aromatic and other flowering shrubs by making beds in different designs as per space available.
5.	OCEMS should be installed and connected with CPCB and UPPCB server for transmission of real time data for prescribed parameters of incinerator.	Noted for compliance. Dioxin and Furans shall be monitored once a year in accordance with the prescribed standards by the recognizedNABL accredited labs. However, equipments / system for effective online monitoring of Dioxins and Furans not available, hence, we shall conduct offline monitoring by the NABL Accredited laboratories and duly submit the report. The incinerator shall be equipped with all necessary air pollution control devices to comply with the emission standards prescribed in Bio-Medical Waste Management Rules, 2016 and its subsequent amendments. Air pollution control devices shall include: Quencher (to prevent reformation of dioxins/furans), venturi scrubber (to remove particulate matter), wet alkaline scrubber (to control HCl emissions) etc. In addition to the air pollution control devices, a stack of 33 m height has been provided for proper dispersion of gases.
6.	Initially the operating capacity of incinerator of CBWTF may be restricted to 2.5 ton/day. UPPCB shall monitor the CBWTF for six months and based on its performance operational capacity may be increased accordingly with prior information to CPCB.	Noted. The operating capacity of incinerator shall be restricted to 2.5 ton/day.
7.	Proposed CBWTF shall comply with the revised guidelines for Common Bio- medical Waste Treatment and Disposal Facilities issued by CPCB on December 21st 2016 with respect to establishment of new CBWTF.	Noted and being complied. We are strictly complying with the revised guidelines for Common Bio-medical Waste Treatment and Disposal Facilities issued by CPCB on December 21st, 2016, with respect to establishment of new CBWTF. Some of the measures that we have undertaken to ensure

		adherence to the guidelines are:
		 We have obtained relaxation in the land area requirement from UPPCB in consultation with the CPCB. This followsclause 7(a) of the revised CPCB guidelines dated December 21, 2016. Increase in stack height and stringent emission norms. Adoption of zero liquid discharge Odour control measures etc. We stand committed to comply with all the provisions of the Revised CPCB guidelines dated Dece 21, 2016, even when we start the operation of the CBWTF. Moreover, we are regularly submitting the EC compliance report six monthly enumerating the
		status of compliance to the said guidelines.
8.	In compliance with the Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs. Gol and others) anti-smog guns shall be installed to reduce dust during excavation.	Since this project is of a CBWTF, and there is no basement proposed in the project, soil excavation was minimal. Also, now the project is in the operational phase.
9.	Proponent shall comply with the action plan for CSR submitted by PP at the time of EIA presentation. Compliance report of investment under CSR to be submitted regularly to the Directorate, UPPCB and District Administration.	The project is a common bio-medical waste treatment facility and no production is entailed and the project has been set up for effective management & scientific disposal of Bio-Medical Waste & to provide cleaner and healthier environment. Thus, the project is already set up to contribute to the environment by providing hygienic, efficient and economic solid waste storage, collection, transportation and treatment or disposal of waste without polluting the atmosphere, soil or water system. Further, the project has planned for developing Noorpur as a model village by making the same as E-waste/ Single-Use Plastic Waste Free village.
10.	The project proponent should develop green belt in the premises of CBWTF unit as per the plan submitted. PP shall also	The CBWTF is situated in UPSIDC industrial area. The industrial allotment in the area is done by UPSIDC

	follow the guidelines of CPCB / UPPCB / Development authority for green belt as per the norms.	for the development of the industries only and setback for development of peripheral greenbelt is provided in every unit allocated by the UPSIDC. Area provided for greenbelt development is 1188.33 sqm (33%). Furthermore, 600 sqm area will be developed as green belt on outer side of the project in which 5- meter-wide green belt would be developed on the outside of the project boundary towards road no. 4 & 5.
11.	Proposed CBWTF shall comply with the guidelines for Bio-medical Waste Treatment and Disposal, transportation & storage facilities etc. issued by CPCB from time to time.	Noted and shall be strictly complied with.
Standa	ard Environmental Clearance Conditions pro	escribed by MoEF&CC
l.	Statutory compliance:	
1.	The project proponent shall obtain forest clearance under the provisions of the Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	There is no forest land involved in the project and hence, no further compliance is required in this regard.
2.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	There is no wildlife area involved in the project and hence no further compliance is required in this regard.
3.	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and be approved by the Chief Wildlife Warden. The recommendations of the approved Site- Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six- monthly compliance report. (In case of the presence of schedule-I species in the study area)	Not applicable since no wildlife area or forest area is involved in the project.
4.	The project proponent shall obtain Consent to establish / Operate under the	Complied. The project proponent has duly obtained the No Objection Certificate from the UP-Pollution

	provisions of the Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board / Committee.	Control Board. Consent to Establish Ref No: 194373/UPPCB/Moradabad(UPPCBRO)/CTE/SAMBH AL/2023 and Consent to Operate from UPPCB vide ref no. [Copy of CCA enclosed as Annexure]
5.	Transportation and handling of Bio- medical Wastes shall be as per the Biomedical Wastes (Management and Handling) Rules, 2016 including section 129 to 137 of Central Motor Vehicle Rules 1989.	Noted and being complied. Photographs submitted with last compliance.
6.	The project shall fulfil all the provisions of hazardous Wastes (Management, Handling andTransboundary Movement) Rules, 2016 including collection and transportation design etcand also guidelines for Common Hazardous Waste Incineration — 2005, issued by CPCBGuidelines of CPCB/MPPCB for Bio- medical Waste Common Hazardous Wastes incineratorsshallbe followed.	The wastes shall be segregated as per the provisions of the Bio-Medical Waste (Management & Handling) Rules, 2016. The membership of TSDF shall be obtained before commencement of operations and the hazardous waste generated would be handed over to the authorized TSDF Facility as per Hazardous Waste (Management & Transboundary Movement) Rules, 2016.
7.	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.	Complied. The project has obtained permission for abstraction of ground water from UP Ground Water Department. Copy Annexed as Annexure
8.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Noted for compliance.
9.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities	The project proponent shall make provision for storage of diesel as per the Petroleum Rules 2002. Maximum storage limit not more than 900 Ltr. Hence the approvals for storage of diesel from Chief Controller of Explosives not required. Provisional Fire NOC obtained from fire department and submitted with the previous compliance. The permanent Fire NOC shall be obtained prior to

		the commencement of operation of the unit.
II.	Airqualitymonitoringandpreservation:	
1.	Periodical air quality monitoring in and around the site including VOCHC shall be carried out.	Noted for compliance. Ambient Air quality monitoring is carried out from time to time at the specified location in and around the site. Monitoring reports enclosed.
1.	Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3% or their loss on ignition is less than 5% of the dry weight of the material.	Incineration plants will be operated by well experienced operators with such temperature, retention time and turbulence, to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3% or their loss on ignition is less than 5% of the dry weight of the material.
2.	Venture scrubber (alkaline) should be provided with the incinerator with stack of adequate height (Minimum 30 meters) to control particulate emission within 50 mg/Nm3.	The project proponent has installed incinerator with stack height 33 meters attached with alkaline Venture scrubber to control particulate emission within 50 mg / Nm3.
3.	Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply with prescribed standards. All necessary air pollution control devices (quenching, Venturi scrubber, mist eliminator) should be provided for compliance with emission standards.	Air pollution control devices shall include: Quencher (to prevent reformation of dioxins/furans), venturi scrubber (to remove particulate matter), wet alkaline scrubber (to control HCl emissions) and mist eliminator etc. In addition to the air pollution control devices, a stack of 33 m height shall be provided for proper dispersion of gases.
4.	Masking agents should be used for odour control	The project proponent shall make use of Masking agents for odour control. Dilution of odor concentration shall be done by sprayingEcosorb and Xorbent (organic & bio-degradable chemicals) around odor generation areas at regular intervals.Aerotiller shall be installed as masking agents.Plantation of trees species has been done for mitigating the odor.
III .	Water quality monitoring and preservatio	n:
1.	Waste water generated from the facility shall be treated in the ETP and treated waste water shall be reused in the APCD connected to the incinerator. The water quality of treated effluent shall meet the	Effluent Treatment Plant of capacity 10 KLD is proposed to be installed to treat effluent from process operations like quenching, scrubbing, vehicle & floor washing etc. The scrubbing waste water & effluent from vehicle

	norms prescribed by State Pollution Control Board. Zero discharge should be maintained.	and floor washing will be treated in the proposed ETP within the project premises & treated water will be re-circulated for cooling tower makeup water & vehicle washing. Zero Liquid Discharge shall be maintained.
2.	Process effluent/any waste water should not be allowed to mix with storm water.	No storm water mix with waste water / Process effluent. Provision of separate drains for storm water has been made.
3.	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from the competent authority shall be obtained for use of fresh water.	Total fresh water will be used according to obtained NOC from Ground Water Department. Maximum capacity 9 KLD. [Ground Water NOC enclosed as Annexure]
4	A certificate from the competent authority for discharging treated effluent/ untreated effluents into the public sewer/ disposal/drainage systems along with the final disposal point should be obtained.	The project proponent will install Effluent Treatment Plant capacity 10 KLD & Waste water treated from Effluent Treatment Plant & treated waste water will be reused in the APCD connected to the incinerator. There is not any discharge of treated effluent / untreated effluents into the public sewer / disposal / drainage systems.
5	The leachate from the facility shall be collected and treated to meet the prescribed standards before disposal.	All the waste will be stored as per guidelines in the storage area with impervious flooring to control any leachate and prevent ground / surface water contamination. Any leachate generated from these storage areas shall be connected with effluent treatment plant.
6	Magnetic flow meters shall be provided at the inlet and outlet of the ETP & all ground water abstraction points and records for the same shall be maintained regularly.	The project proponent shall install Electro-Magnetic flow meters at the inlet & outlet point of the ETP & outlet of bore well maintained record regularly.
7	Rainwater runoff from the hazardous waste storage area shall be collected and treated in the effluent treatment plant.	Rain water runoff from the hazardous waste storage area shall be channelized to ETP for treatment & drain connected to ETP.
IV.	Noise monitoring and prevention:	
1.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during daytime and 70 dB(A) during night-time.	Acoustic enclosures for considerable noise generating point sources such as DG Set have been provided for noise attenuation. Further, ambient noise monitoring is being carried out at regular intervals to ensure that the ambient noise levels

		conform to the prescribed standards. Monitoring
.,		report of ambient noise quality enclosed.
V.	Energy Conservation measures:	
1.	Provide solar power generation on roof tops of buildings, for the solar light system for all common areas, street lights, parking around the project area and maintain the same regularly;	Noted solar energy will be utilized as a energy conservation measure.
2.	Provide LED lights in their offices and residential areas	The project proponent is using only LED lights in office and incinerator areas.
VI.	Waste management:	
1.	Incinerated ash shall be disposed of at approved TSDF and MoU made in this regard shall be submitted to the Ministry prior to the commencement.	The project proponent has made a MoU with Bharat Oil and Waste Management which is approved TSDF from UPPCB & CPCB.
2.	The solid wastes shall be segregated as per the norms of the Solid Waste ManagementRules, 2016.	Noted for compliance. The solid wastes will be segregated as per the norms of the Solid Waste Management Rules, 2016.
3.	A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from the project.	There is no any M.S.W. generated from the project.
4.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016	Noted and already complied during the construction phase.
5.	No landfill site is allowed within the CBWTF site.	Noted for the compliance.
6.	The Project proponent shall not store the Hazardous Wastes more than the quantity that has been permitted by the CPCR/SPCB.	Noted. The Project proponent shall not store the Hazardous Wastes more than the quantity that has been permitted by the CPCR/SPCB.
VII.	Green Belt:	
1.	Green belt shall be developed in the area as provided in project details, with native tree green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with	This CBWTF is situated in UPSIDC industrial area. The industrial allotment in the area is done by UPSIDC for the development of the industries only and setback for development of peripheral greenbelt is provided in every unit allocated by the UPSIDC.

	CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	Accordingly area provided for greenbelt development is 1188.33 sqm (33%). Furthermore, 600 sqm area will be developed as green belt on outer side of the project in which 5-meter-wide green belt would be developed on the outside of the project boundary towards road no. 4 & 5.
VIII.	Public bearing and Human health issues:	
1.	Feeding of materials/Bio-medical waste should be mechanized and automatic no manual feeding is permitted.	Feeding of materials / Bio-medical waste is fully mechanized and automatic. Hydraulic based waste feeding system equipped with power pack, cylinders and doors shall be provided. This mechanism will protect from heat loss and flames coming out of the chamber. Material to be loaded through conveyor at the hopper of the hydraulic based waste feeding system. Waste feeding system is mechanized and interlocked with temperature. This shall be provided with conveyor, conveyor belt, support and hopper.
2.	Proper parking facility should be provided for employees & transport used for collection & disposal of waste materials.	Noted for compliance. Parking facility has been provided for employees & transport used for collection & disposal of waste materials.
3.	Necessary provision shall be made for fire-fighting facilities within the complex.	Necessary provision will be made for fire-fighting facilities within the complex as per the conditions enumerated in the Fire NOC issued by UP Fire Services Departments.
4.	An emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Already mentioned at Chapter 7 of EIA Report.
5.	An emergency plan shall be drawn in consultation with SPCB/CPCB and implemented in order to minimize the hazards to human health or the environment from fires, explosions or any unplanned sudden or gradual release of hazardous waste or hazardous waste constituents to air, soil or surface water.	An emergency plan has been already drawn and implemented inorder to minimize the hazards to human health or the environment from fires, explosions or any unplanned sudden or gradual release of hazardous waste or hazardous waste constituents to air, soil or surface water. Same has been incorporated at Chapter 7 in EIA Report.
6.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile	This compliance condition pertains to the construction phase. The project is, however, now in its operational phase.

		۱ <u>ــــــــــــــــــــــــــــــــــــ</u>
	toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	
7.	Occupationalhealth surveillanceofthe workersshall be done onaregular basis.	First aid shall be available at all times in the premises. Occupational health surveillance of the workers will be done on a regular basis from nearby HCF.
IX.	Corporate EnvironmentResponsibility:	
1.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.11 I dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	The project proponent shall comply with the provisions contained in this Ministry's OM videF.No.22-65/2017 IA.1II dated 1 st May 2018, as applicable, regarding Corporate Environment Responsibility.
2.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements / deviation / violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. A copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of the six-monthly report.	The company has a well laid down environmental policy and the same has been approved by its board of directors.
3.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	A dedicated Environmental Cell has been constituted at both the project site and the company's head office. Each cell is staffed with qualified environmental professionals equipped to oversee the implementation of environmental safeguards and statutory requirements. These cells operate under the supervision of a senior executive, who reports directly to the Head of the

		Organization, ensuring high-level oversight and
		accountability for all environmental matters.
4.	Action plan for implementing EMP and environmental conditions along with the responsibility matrix of the company shall be prepared and shall be duly approved by the competent authority. The year-wise funds earmarked for environmental protection measures shall be kept in a separate account and not be diverted for any other purpose. Year rise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.	Noted for compliance.
5.	A self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.	Noted for compliance. A self-environmental audit will be conducted annually. Every three years third- party environmental audit will be carried out.
Х.	Miscellaneous:	
1.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed	Complied. The project proponent has published advertisement in two local newspapers of the district Amar Ujala & Vidhan Kesari Moradabad region in the vernacular language indicating that the project has been accorded environment clearance and the details of MoEFCC / SEIAA website is displayed. [Copy of the advertisement in newspaper duly enclosed as Annexure]
2.	The copies of the environmental	The Environment Clearance granted to the
	clearance shall be submitted by the project proponents tothe Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevantoffices of the Government who in turn has to display the same for 30 days from the date ofreceipt.	proponent is already available in the Public Domain & MoEFCC website.

	their website and update the same on half-yearly basis.	
4.	The project proponent shall submit six- monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at the environment clearance portal.	The six-monthly compliance report is being timely updated on the PARIVESH portal and also submitted to UPPCB head office.
5.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted for compliance.
6.	The criteria pollutant levels namely; SPM, RSPM, SP, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Noted for compliance.
7.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	The date of start of operation of the CBWTF unit has been communicated to MoEFCC and also the other government authorities. The unit became operational on 02.04.2024.
8.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted and being complied. We are ensuring adherence to the stipulations made by the UPPCB in the consent and bio-medical authorization granted to us. We also submit the timely compliance of consent granted and also we submit waste disposal report each month. Copy of waste disposal report for the months of March 2025 to May 2025 enclosed herewith. The previous month waste disposal report has been submitted with Post Monsoon December 2024 compliance.

9.	The project proponent shall abide by all	Noted for the compliance.
	the commitments and recommendations	·
	made in the EIA / EMP report, commitments made during Public	
	hearings and also that during their	
	presentation to the Expert Appraisal	
	Committee.	
10.	No further expansion or modifications in the plant shall be carried out without	Noted and shall be complied.
	prior approval of the Ministry of	
	Environment, Forests and Climate	
	Change (MoEF&CC).	
11.	Concealing factual data or submission of false / fabricated data may result in	Noted.
	revocation of this environmental	
	clearance and attract action under the	
	provisions of the Environment	
	(Protection) Act, 1986.	
12.	The Ministry may revoke or suspend the clearance if the implementation of any of	Noted.
	the above conditions is not satisfactory.	
13.	The Ministry reserves the right to	Noted.
	stipulate additional conditions if found	
	necessary. The Company in a time-bound manner shall implement these	
	conditions.	
14.	The Regional Office of this Ministry shall	Noted and being complied. The authorities coming
		for inspection of the premises are always extended
	conditions. The project authorities should extend full cooperation to the	full support by the project proponent's designated personnel.
	officer (s) of the Regional Office by	personnen
	furnishing the requisite data /	
	information / monitoring reports.	
15.	The above conditions shall be enforced, inter-alia under the provisions of the	Noted.
	Water (Prevention & Control of	
	Pollution) Act, 1974, the Air (Prevention	
	& Control of Pollution) Act, 1981, the	
	Environment (Protection) Act, 1986,	
	Hazardous and Other Wastes (Management and Trans boundary	
	(management and mans boundary	

	Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts/NGT and any other Court of Law relating to the subject matter.	
16.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.



CIN: U73100MP2002PTC015352

GSTIN: 23AAECA9188L1Z8

Approved: by Occupational Health &Safety Management (ISO45001:2018) **Approved:** by National Accreditation Board for Testing and Calibration Laboratories **Approved:** by Ministry of Environment, Forest and Climate Change (MoEF&CC)

Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II

Gwalior-474 011, M.P., India 20751-3566867, 2232177 Email:aelgwalior@gmail.comaetrl2016@gmail.com,aetrlcenter@gmail.com Web: www,aetrl.com



TC-12780

TEST REPORT

•	Company Name	:	M/s. Punahchakran Private Limited	Date of Issue		:	22.04.2025
•	Address	:	E-25/26, UPSIDA, Industrial Area Babrala, Distt- Sambhal- 243751	Monitoring Date		:	15.04.2025
•	Nature of Sample	:	Stack emission	•	Sample Collected by	:	ALPL
•	Location Point	:	Incinerator	•	Lab. ref. No:	:	AETRL/160425ST0001
•	Stack Height	:	33Mtr.	•	Diameter of Stack	:	400mm
•	Type of fuel	:	Diesel	•	Sample Packing	:	Plastic packing
•	Capacity of Incinerator	:	250Kg/Hr	•	Material of		MS
					Construction		

PHYSICAL OBSERVATIONS

Ambient temperature ^o C		41.0
Flue gas temperature ⁰ C	:	64.0
Velocity of flue gas m/s	:	7.42

TEST RESULT

S. No.	Parameter	Results	Limits- Mg/Nm3
1.	Particular Matter mg/Nm3	30.47	50
2.	Oxides of Nitrogen (NO2) mg/Nm3	86.24	400
3.	Sulpher Dioxide (SO2) mg/Nm3	18.34	200

Prepared By (Lab Incharge)



Authorized Signatory

****End of the Report****

- 1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- 3. Any discrepancy in test result should be reported within 15days.
- 4. The above Results are related to the tested Sample Only.



CIN: U73100MP2002PTC015352

GSTIN: 23AAECA9188L1Z8

Approved: by Occupational Health &Safety Management (ISO45001:2018) Approved: by National Accreditation Board for Testing and Calibration Laboratories Approved: by Ministry of Environment, Forest and Climate Change (MoEF&CC)

Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II

Gwalior-474 011, M.P., India [™]0751-3566867, 2232177 Email:aelgwalior@gmail.comaetrl2016@gmail.com,aetrlcenter@gmail.com Web: www,aetrl.com



RIOS

TEST REPORT

•	Name of Unit	:	M/s. Punahchakran Private Limited	Date of Issue		:	22.04.2025
•	Address of Unit	of Unit : E-25/26, UPSIDA, Industrial Area •		Monitoring Date	:	15.04.2025	
			Babrala, Distt- Sambhal- 243751	3751			
•	Nature of Sample	:	Effluent Sample	•	Sample Collected by		ALPL
•	Sample Location	••	Outlet of ETP	٠	Qty of sample		1 Liter.

TEST RESULT

S. No.	PARAMETER	UNIT	PROTOCOL	RESULTS	Standard (CPCB)
1.	рН		APHA 4500 H+B	7.52	5.5 - 9.0
2.	Suspended Solids(SS)	Mg/l	APHA 4500 H+B	48.00	100
3.	Bio-Chemical Oxygen Demand (BOD- 3days at 27ºC)	Mg/l	APHA 4500 (D)	26.00	30
4.	Chemical Oxygen Demand (COD)	Mg/l	APHA 4500 (B)	174.00	250
5.	Oil & Grease (O&G)	Mg/l	APHA 4500 (B)	8.65	10

Prepared By (Lab Incharge)

Authorized Signatory

****End of the Report****

- 1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- 3. Any discrepancy in test result should be reported within 15days.
- 4. The above Results are related to the tested Sample Only.



CIN: U73100MP2002PTC015352

GSTIN: 23AAECA9188L1Z8

Approved: by Occupational Health &Safety Management (ISO45001:2018) **Approved:** by National Accreditation Board for Testing and Calibration Laboratories **Approved:** by Ministry of Environment, Forest and Climate Change (MoEF&CC)

Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II

Gwalior-474 011, M.P., India Provide the second state of the seco



BIOS

TEST REPORT

•	Name of Unit	:	M/s. Punahchakran Private Limited	Date of Issue		:	22.04.2025
•	Address of Unit	:	E-25/26, UPSIDA, Industrial Area	, Industrial Area • Monitoring Date		:	15.04.2025
			Babrala, Distt- Sambhal- 243751				
•	Nature of Sample	:	Drinking Water	•	Sample Collected by	:	Sampling staff
•	Lab. Ref. No.	:	AETRL/160425W0001	•	Qty. Of Sample	:	1 Ltr.
•	Sample Location	:	Bore Well	•		:	

TEST RESULT

S. No.	PARAMETER	UNIT	PROTOCOL	RESULTS	Drinking Water Standards /Limit (IS:10500- 2012)		
5. NO.	PARAMETER	UNII	PROTOCOL	KESUL15	Desirable Limit	Permissible	
1	Colour		APHA-2120(C)	<5	5 max.	25 max.	
2	Taste		IS:3025 (P-8)	Agreeable	Agreeable	No Relaxation	
3	Turbidity		APHA-2130(B)	<1	5.0 max.	10 max.	
4	рН		APHA- 4500 H+B	7.23	6.5 -8.5	No Relaxation	
5	Total Hardness	mg/l	APHA-2340(C)	265.0	300 max.	600 max.	
6	Iron as Fe	mg/l	APHA-3111(B)	0.42	0.3 max.	1.0 max.	
7	Chloride as Cl	mg/l	APHA-4500(B)	25.16	250 max.	1000 max.	
8	Residual Free Chlorine (RFC)	mg/l	APHA-4500(B)	Nil	0.2 min.	No Relaxation	
9	Total Dissolve Solids	mg/l	APHA-2540©	268.0	500 max.	2000 max.	
10	Calcium as Ca	mg/l	APHA-3500(B)	58.42	75 max.	200 max.	
11	Magnesium as Mg	mg/l	APHA-3500 Mg(B)	14.52	30	100	
12	Copper as Cu	mg/l	APHA-3111(B)	< 0.02	0.05 max.	1.5 max.	
13	Manganese as Mn	mg/l	APHA-3111(B)	< 0.01	0.1 max.	0.3 max.	
14	Sulphate as SO ₄	mg/l	APHA-4500©	16.45	200 max.	400 max.	
15	Nitrate as NO ₃	mg/l	APHA-4500 NO ₃ (B)	2.8	45 max.	100 max.	
16	Fluorides as F	mg/l	APHA-4500(D)	0.56	1.0 max.	1.5 max.	
17	Mercury as Hg	mg/l	APHA-3112(B)	Not deducted	0.001 max.	No Relaxation	
18	Cadmium as Cd	mg/l	APHA-3111(B)	< 0.004	0.01 max.	No Relaxation	
19	Selenium as Se	mg/l	APHA-3113(B)	< 0.01	0.01 max.	No Relaxation	
20	Cyanide as CN	mg/l	APHA-4500©	Not deducted	0.05 max.	No Relaxation	

Prepared By (Lab Incharge)

****End of the Report****

- 1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- 3. Any discrepancy in test result should be reported within 15days.
- 4. The above Results are related to the tested Sample Only.

Authorized Signatory



CIN: U73100MP2002PTC015352

GSTIN: 23AAECA9188L1Z8

BIOS

TC-12780

Approved: by Occupational Health &Safety Management (ISO45001:2018) **Approved:** by National Accreditation Board for Testing and Calibration Laboratories **Approved:** by Ministry of Environment, Forest and Climate Change (MoEF&CC)

Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II

Gwalior-474 011, M.P., India 20751-3566867, 2232177

Email:aelgwalior@gmail.comaetrl2016@gmail.com,aetrlcenter@gmail.com Web: www,aetrl.com

21	Lead as Pb	mg/l	APHA-3111(B)	< 0.01	0.05 max.	No Relaxation
22	Zinc as Zn	mg/l	APHA-3111(B)	< 0.01	5.0 max.	15 max
23	Anionic Detergent (MBAS)	mg/l	APHA-4540	< 0.05	0.2 max.	1.0 max.
24	Total Chromium (as Cr)	mg/l	APHA-3500 Cr-B	< 0.01	0.05 max.	No Relaxation
25	Polynuclear Aromatic Hydrogen (PAH)	mg/l	APHA-6440	Not deducted		
26	Mineral Oil	mg/l	IS:3025(P-39)	< 0.01	0.01 max.	0.03 max
27	Pesticides	mg/l	IS:14628	Absent	Absent	0.001
28	Total Alkalinity	mg/l	APHA-2320(B)	168.0	200 max.	600 max.
29	Aluminium as Al	mg/l	APHA-3500(B)	< 0.02	0.03 max.	0.2 max.
30	Barium as (Ba)	mg/l	APHA-4500(B)	< 0.05	0.1 max.	No Relaxation
31	Total Coliform (MPN)	No./100 ml	APHA-9215 (A,B)	Absent	Absent	No Relaxation
32	Malybdenium (Mo)	mg/l	APHA-3111(D)	< 0.02	0.07	No Relaxation
33	Nickel (Ni)	mg/l	APHA-3111(B)	Absent	0.02	No Relaxation
34	Bromoform	mg/l	APHA-3111(B)	ND	0.1	No Relaxation
35	Dibromochloro Methane	mg/l	APHA-6232	ND	0.1	No Relaxation
36	BromoDichloro Methane	mg/l	APHA-6232	ND	0.06	No Relaxation
37	Chloroform	mg/l	APHA-6232	ND	0.2	No Relaxation
38	Silver (Ag)	mg/l	APHA-6232	< 0.01	0.1	No Relaxation
39	e-Coll		IS 1622-1981	Absent	Absent	No Relaxation
40	Sulphide (asH ₂ S)	mg/l	APHA-4500(F)	< 0.01	0.4Max	No Relaxation
41	Chloramines (CL ₂)	mg/l	APHA-4500(D)	ND	0.1	No Relaxation
42	Radioactive materials: i) Alpha emitters ii) Beta emitters	Bq/l	IS -14194 Part-1&2	ND	0.1 1.0	No Relaxation

Prepared By (Lab Incharge)

Authorized Signatory

****End of the Report****

- 1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- 3. Any discrepancy in test result should be reported within 15days.
- 4. The above Results are related to the tested Sample Only.



CIN: U73100MP2002PTC015352

GSTIN: 23AAECA9188L1Z8

Approved: by Occupational Health &Safety Management (ISO45001:2018) Approved: by National Accreditation Board for Testing and Calibration Laboratories Approved: by Ministry of Environment, Forest and Climate Change (MoEF&CC)

Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II

Gwalior-474 011, M.P., India 20751-3566867, 2232177 Email:aelgwalior@gmail.comaetrl2016@gmail.com,aetrlcenter@gmail.com Web: www,aetrl.com



BIOS

	TEST REPORT							
•	Name of Unit	:	M/s. Punahchakran Private Limited	•	Date of Issue	:	22.04.2025	
•	Address of Unit	:	E-25/26, UPSIDA, Industrial Area Babrala, Distt- Sambhal- 243751			:	15.04.2025	
•	Nature of Sample	:	Ambient Air Monitoring	•	Sample Collected by	:	Sampling staff	
٠	Lab. Ref. No.	:	AETRL/160425A0001	•	Qty of sample	:		
٠	Location Point	:	Near Plant area	•	Sample bottle	:	Plastic packing	
•	Monitoring Duration	:	24 Hrs	•	Equipment used	:	Respirable Dust Sampler (APM 460BL) PM 2.5 (APM 550)	

TEST RESULT

S. No.	Parameters	Protocol	Unit	Result	Standards
1.	Sulphur Dioxide (SO2)	IS 5182:Part2:2001	μg/m3	16.23	80/Day
2.	Nitrogen Dioxide (NO2)	IS 5182:Part6:2006	μg/m3	14.40	80/Day
3.	Particulate matter (less than 10 μm)	IS 5182:Part23:2006	μg/m3	36.28	100/Day
4.	Particulate matter (less than 2.5 μm)	USEPA CFR40	μg/m3	20.30	60/Day
		(50), Appendix L			
5.	Ozone (O3)	IS 5182:Part9:1974	μg/m3	7.34	100/8 Hours
6.	Lead (Pb)	IS 5182:Part22:2004	μg/m3	0.048	1.0/Day
7.	Carbon Mono Oxide (CO)	IS 5182:Part10:1999	mg/m3	0.42	02/8 Hours
8.	Ammonia (NH3)	APHA 401	μg/m3	16.44	400/Day
		(Indophenol)			
9.	Benzene (C6H6)	IS 5182:Part 11:2006	μg/m3	<1.2	05/Annual
10.	Benzo (a) Pyrene (BaP) Particulate Phase	IS 5182:Part12:2004	ng/m3	ND*	01/Annual
	only				
11.	Arsenic (As)	IS 5182:Part22:2004	ng/m3	ND*	06/Annual
12.	Nickel (Ni)	IS 5182:Part22:2004	ng/m3	0.41	20/Annual

*ND- Not Detectable

Prepared By (Lab Incharge)



Authorized Signatory

****End of the Report****

- 1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- 3. Any discrepancy in test result should be reported within 15days.
- 4. The above Results are related to the tested Sample Only.



CIN: U73100MP2002PTC015352

GSTIN: 23AAECA9188L1Z8

Approved: by Occupational Health &Safety Management (ISO45001:2018) **Approved:** by National Accreditation Board for Testing and Calibration Laboratories **Approved:** by Ministry of Environment, Forest and Climate Change (MoEF&CC)

Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II

Gwalior-474 011, M.P., India Provide the second state of the seco



BIOS

TEST REPORT

•	Name of Unit	:	M/s. Punahchakran Private Limited	•	Date of Issue	:	22.04.2025
•	Address of Unit	:	E-25/26, UPSIDA, Industrial Area	•	Monitoring Date	:	15.04.2025
			Babrala, Distt- Sambhal- 243751	Comple Collected here			
•	Nature of Sample	:	Ambient Air Monitoring	•	Sample Collected by	:	Sampling staff
•	Lab. Ref. No.	:	AETRL/160425A0002	•	Qty of sample	:	
•	Location Point	:	Near Main Gate	•	Sample bottle	:	Plastic packing
•	Monitoring Duration	:	24 Hrs	•	Equipment used	:	Respirable Dust
							Sampler (APM
							460BL) PM 2.5
							(APM 550)

TEST RESULT

S. No.	Parameters	Protocol	Unit	Result	Standards
1.	Sulphur Dioxide (SO2)	IS 5182:Part2:2001	µg/m3	15.25	80/Day
2.	Nitrogen Dioxide (NO2)	IS 5182:Part6:2006	µg/m3	12.36	80/Day
3.	Particulate matter (less than 10 μm)	IS 5182:Part23:2006	µg/m3	38.28	100/Day
4.	Particulate matter (less than 2.5 µm)	USEPA CFR40	µg/m3	24.20	60/Day
		(50), Appendix L			
5.	Ozone (O3)	IS 5182:Part9:1974	µg/m3	7.24	100/8 Hours
6.	Lead (Pb)	IS 5182:Part22:2004	µg/m3	0.046	1.0/Day
7.	Carbon Mono Oxide (CO)	IS 5182:Part10:1999	mg/m3	0.40	02/8 Hours
8.	Ammonia (NH3)	APHA 401	µg/m3	16.47	400/Day
		(Indophenol)			
9.	Benzene (C6H6)	IS 5182:Part 11:2006	µg/m3	<1.2	05/Annual
10.	Benzo (a) Pyrene (BaP) Particulate Phase only	IS 5182:Part12:2004	ng/m3	ND*	01/Annual
11.	Arsenic (As)	IS 5182:Part22:2004	ng/m3	ND*	06/Annual
12.	Nickel (Ni)	IS 5182:Part22:2004	ng/m3	0.40	20/Annual

*ND- Not Detectable

Prepared By (Lab Incharge)



****End of the Report****

- 1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- 3. Any discrepancy in test result should be reported within 15days.
- 4. The above Results are related to the tested Sample Only.



CIN: U73100MP2002PTC015352

GSTIN: 23AAECA9188L1Z8

Approved: by Occupational Health &Safety Management (ISO45001:2018) **Approved:** by National Accreditation Board for Testing and Calibration Laboratories **Approved:** by Ministry of Environment, Forest and Climate Change (MoEF&CC)

Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II

Gwalior-474 011, M.P., India 18 0751-3566867, 2232177 Email:aelgwalior@gmail.comaetrl2016@gmail.com,aetrlcenter@gmail.com Web: www,aetrl.com



BIOS

TEST REPORT

٠	Name of Unit	:	M/s. Punahchakran Private Limited	•	Date of Issue	:	22.04.2025
٠	Address of Unit	:	E-25/26, UPSIDA, Industrial Area Babrala,	•	Monitoring Date	:	15.04.2025
			Distt- Sambhal- 243751		_		
٠	Nature of Sample	:	Ambient Air Monitoring	•	Sample Collected by	:	Sampling staff
٠	Lab. Ref. No.	:	AETRL/160425A0003	•	Qty of sample	:	
٠	Location Point	:	Near DG set	•	Sample bottle	:	Plastic packing
٠	Monitoring	:	24 Hrs	•	Equipment used	:	Respirable Dust
	Duration						Sampler (APM
							460BL) PM 2.5
							(APM 550)

TEST RESULT

S. No.	Parameters	Protocol	Unit	Result	Standards
1.	Sulphur Dioxide (SO2)	IS 5182:Part2:2001	µg/m3	16.10	80/Day
2.	Nitrogen Dioxide (NO2)	IS 5182:Part6:2006	µg/m3	23.78	80/Day
3.	Particulate matter (less than 10 µm)	IS 5182:Part23:2006	μg/m3	44.22	100/Day
4.	Particulate matter (less than 2.5 μm)	USEPA CFR40	µg/m3	22.64	60/Day
		(50), Appendix L			
5.	Ozone (03)	IS 5182:Part9:1974	µg/m3	8.34	100/8 Hours
6.	Lead (Pb)	IS 5182:Part22:2004	μg/m3	0.060	1.0/Day
7.	Carbon Mono Oxide (CO)	IS 5182:Part10:1999	mg/m3	0.78	02/8 Hours
8.	Ammonia (NH3)	APHA 401	μg/m3	16.74	400/Day
		(Indophenol)			
9.	Benzene (C6H6)	IS 5182:Part 11:2006	μg/m3	<1.2	05/Annual
10.	Benzo (a) Pyrene (BaP) Particulate Phase only	IS 5182:Part12:2004	ng/m3	ND*	01/Annual
11.	Arsenic (As)	IS 5182:Part22:2004	ng/m3	ND*	06/Annual
12.	Nickel (Ni)	IS 5182:Part22:2004	ng/m3	0.63	20/Annual

*ND- Not Detectable

Prepared By (Lab Incharge)



Authorized Signatory

****End of the Report****

- 1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- 3. Any discrepancy in test result should be reported within 15days.
- 4. The above Results are related to the tested Sample Only.



CIN: U73100MP2002PTC015352

GSTIN: 23AAECA9188L1Z8

Approved: by Occupational Health &Safety Management (ISO45001:2018) **Approved:** by National Accreditation Board for Testing and Calibration Laboratories **Approved:** by Ministry of Environment, Forest and Climate Change (MoEF&CC)

Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II

Gwalior-474 011, M.P., India 19751-3566867, 2232177 Email:aelgwalior@gmail.comaetrl2016@gmail.com,aetrlcenter@gmail.com Web: www,aetrl.com



TC-12780

TEST REPORT

٠	Name of Unit	:	M/s. Punahchakran Private Limited	•	Date of Issue	:	22.04.2025
٠	Address of Unit	:	E-25/26, UPSIDA, Industrial Area	•	Monitoring Date	:	15.04.2025
			Babrala, Distt- Sambhal- 243751				
٠	Nature of Sample	:	Ambient Air Monitoring	•	Sample Collected by	:	Sampling staff
٠	Lab. Ref. No.	:	AETRL/160425A0004	•	Qty of sample	:	
٠	Location Point	:	Near East Corner of Plant	•	Sample bottle	:	Plastic packing
•	Monitoring Duration	:	24 Hrs	•	Equipment used	:	Respirable Dust Sampler (APM 460BL) PM 2.5
							(APM 550)

TEST RESULT

S. No.	Parameters	Protocol	Unit	Result	Standards
13.	Sulphur Dioxide (SO2)	IS 5182:Part2:2001	µg/m3	18.25	80/Day
14.	Nitrogen Dioxide (NO2)	IS 5182:Part6:2006	µg/m3	26.64	80/Day
15.	Particulate matter (less than 10 µm)	IS 5182:Part23:2006	µg/m3	48.26	100/Day
16.	Particulate matter (less than 2.5 μm)	USEPA CFR40	µg/m3	26.40	60/Day
		(50), Appendix L			
17.	Ozone (O3)	IS 5182:Part9:1974	µg/m3	6.47	100/8 Hours
18.	Lead (Pb)	IS 5182:Part22:2004	µg/m3	0.068	1.0/Day
19.	Carbon Mono Oxide (CO)	IS 5182:Part10:1999	mg/m3	0.46	02/8 Hours
20.	Ammonia (NH3)	APHA 401	µg/m3	18.78	400/Day
		(Indophenol)			
21.	Benzene (C6H6)	IS 5182:Part 11:2006	µg/m3	<1.2	05/Annual
22.	Benzo (a) Pyrene (BaP) Particulate Phase	IS 5182:Part12:2004	ng/m3	ND*	01/Annual
	only				
23.	Arsenic (As)	IS 5182:Part22:2004	ng/m3	ND*	06/Annual
24.	Nickel (Ni)	IS 5182:Part22:2004	ng/m3	0.68	20/Annual

*ND- Not Detectable

Prepared By (Lab Incharge)



****End of the Report****

- 1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- 3. Any discrepancy in test result should be reported within 15days.
- 4. The above Results are related to the tested Sample Only.



CIN: U73100MP2002PTC015352

GSTIN: 23AAECA9188L1Z8

Approved: by Occupational Health &Safety Management (ISO45001:2018) **Approved:** by National Accreditation Board for Testing and Calibration Laboratories **Approved:** by Ministry of Environment, Forest and Climate Change (MoEF&CC)

Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II

Gwalior-474 011, M.P., India Provide the second state of the seco



TC-12780

TEST REPORT

•	Name of Unit	:	M/s. Punahchakran Private Limited	Date of Issue Monitoring Date		:	22.04.2025
•	Address of Unit	:	E-25/26, UPSIDA, Industrial Area	5		:	15.04.2025
			Babrala, Distt- Sambhal- 243751	Babrala, Distt- Sambhal- 243751			
•	Nature of Sample	:	Noise Monitoring	Sample Collected by		••	Sampling staff
•	Lab. Ref. No.	:	AETRL/160425N0001	Monitoring Durat		:	24 Hrs

TEST RESULT

S. No.	Location	Noise Level in dB(A)					
5. NO.	Location	Day	Night				
1.	Inside of the Plant	72.5	68.3				
2.	Out Side of the Plant	62.6	59.8				

Noise Work area- Factory Act-1948

Area Code	Category of area	Limit in dB (A) Leq
Α	Industrial Area	85

Ambient Noise Standards

Tupo of Aroa	Limits in dB	(A) Leq*
Type of Area	Day Time	Night Time
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

*dB (A) Leq denotes the time weighted average of the sound level in decibels on scale A which is relatable to human hearing.

Source: Pollution Control Acts Rule and Notifications issued there under, by Pollution Control Law Series: PCLS/02/2006(Fifth Edition) of Central Pollution Control Board, January 2006, pp 926.

Day and Night time shall mean from 6:00 a.m. to 10:00 p.m. and 10:00 p.m. to 6:00 a.m. respectively.

Prepared By (Lab Incharge)

****End of the Report****

Authorized Signatory

Note:

- 1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- 2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
- 3. Any discrepancy in test result should be reported within 15days.
- 4. The above Results are related to the tested Sample Only.



Facility Add.- Plot No - E-25 26 UPSIDA. Industrial Area Babrala-243751. Distt- Sambbal Regd. Ofc.- 9 34 Avas Vikas-3. Ambedkarpuram. Panki Road Kalyanpur Kanpur-208017 U P
 punahchakran@gmail.com. 9956789525, 8707229503. Toll Free-18005725209
 www.punahchakran.com CIN U90009UP2020PTC136326

Ref. No. - PCPL/CBWTF/2024/79

Date-01/04/2025

To

Regional Officers

Uttar Pradesh Pollution Control Board 1-A/I.N.S, 1, Delhi Rd, Avas Vikas Colony, Buddhi Vihar, Moradabad, Uttar Pradesh

Subject: Submission of monthly Bio Medical Waste Collection data of the month of Mar-2025

Dear Sir,

This is with reference to submission of monthly bio medical waste collection as disposal report in Mar-2025

We are hereby submitting the monthly bio medical waste collection as disposal report Mar-2025. This is for your information and records please.

For M/s. Punahchakran Pvt. Ltd.

PUNAHCHAKRAN PVT LTD.



Director

Authorized Signatory

CC: Chief Environment Officer C-7 UPPCB, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh.

द्वित्रीय कायालय उ.प्र. प्रदूषम निंधत्रम योर्ड 1.MI.N.S 1 आवास विकास कालोनी बुद्धि विहार, मुरादायाद

S.N	DATE	YELLO	N. CONT	ORADA			SAMBH			COLLEC	WASTE TION OF DAY
о.		W Weigh t(Kg)	Weight (Kg)	None No	PPC Weigh t (Kg)	YELLOW Weight(K g)			PPC Weigh t	To tal Weight	Dispos ed /Recycle Weight
1	1-Mar-2025	169.2	5.0	12.0	0.0	33.3	17.3		(Kg)		
2	2-Mar-2025	S	U	N	0.0	53.5 D	17.3 A	33.1	0.8	270.7	270.7
3	3-Mar-2025	281.9	4.0	26.0	0.2	21.8	12.6	22.2	Y	250	
4	4-Mar-2025	237.7	0.0	15.0	0.0	35.5	20.7	32.5	0.7	369.4	369.4
5	5-Mar-2025	187.	5.0			<u> </u>	20.7	52.5	0.7	342.1	342.1
6	6 Mar 2025	2	5.0	8.0	0.0	21.8	28.3	17.5	0	267.8	268
7	6-Mar-2025 7-Mar-2025	199.2	5.0	13.0	0.0	30.7	16.3	31.1	0.8	296.1	296.1
8	8-Mar-2025	156.2	0	7	0.2	40.2	37.3	18.7	0.7	260.3	260.3
9	9-Mar-2025	184.2	4.0	14.5	0.0	42.2	25.6	40.3	0.8	311.6	311.6
10		S	U	N		D	A		Y		
11	10-Mar-2025 11-Mar-2025	222.2	3.0	24.1	0.2	38	18.2	18.8	0.2	324.7	324.7
12	12-Mar-2025	230.6	0.0	11.0	0.0	37.1	19.2	17.8	0.2	315.9	315.9
12	12-Mar-2025	127. 6	0.0	2.5	0.0	11.3	15.6	8	0	165.0	
13	13-Mar-2025	181.8	12.3	6.3	0.0	39.5				165.0	165
14	14-Mar-2025	н	0	L	0.0	39.5	38.3	17.8	0	296.0	296
15	15-Mar-2025	Н	0	L		1	D	A	Y		
16	16-Mar-2025	S	U	N		D	A	A	Y		
17	17-Mar-2025	219.2	2.0	12.1	0.0	39.1	15.1	17.2	Y		
18	18-Mar-2025	232.7	0.0	9.1	0.0	35.2	17.2	17.3 18.3	0	304.8	304.8
19	19-Mar-2025	141.						10.5	0.2	312.7	312.7
		6	0.0	4.0	0.2	38.7	12.3	19.3	0	216.1	216
20	20-Mar-2025	187.4	1.0	2.0	0.0	40.2	25.3	17.2	0	273.1	273.1
21	21-Mar-2025	101.3	15.1	14.1	0.0	42.3	20.1	18.7	0.2	211.8	211.8
22	22-Mar-2025	235.3	0.0	15.1	0.0	35.1	28.1	18.5	0	332.1	332.1
23	23-Mar-2025	S	U	N		D	A		Y		552.1
24	24-Mar-2025	126.4	4.0	16.5	0.3	38.3	33.1	11.8	0	230.4	230.4
25	25-Mar-2025	125.4	5.0	3.0	0.0	18.1	16.1	6.5	0	174.1	174.1
26	26-Mar-2025	108.								174.1	1/4.1
27	27-Mar-2025	4	0.0	1.0 3.0	0.0	34.3 25.9	37.7	6.8	0.5	188.7	189
		129.9					41	17.7	0.0	217.5	217.5
28 29	28-Mar-2025	139.4	3.0	0.0	0.0	31.3 33.1	40.6	19.6	0.5	234.4	234.4
	29-Mar-2025	118.4	0.0 U	2.0 N	0.0	D	40.1	12.7	0.0	206.3	206.3
30	30-Mar-2025	5			0.0		A		Y		
31	31-Mar-2025	128.5	4.0	2.0	0.0	33.3	38.8	19.3	0	225.9	225.9



Facility Add.- Plot No - E-25/26 UPSIDA. Industrial Area Babrala-243751. Distr- Sambbal Regd. Ofc.- 9/34 Avas Vikas-3. Ambedkarpuram. Panki Road Kalyanpur Kanpur-208017 U/P
 Punahchakran@gmail.com. 9956789525. 8707229503. Toll Free-18005725209
 www.punahchakran.com CIN U90000UP2020PIC136326

Ref. No. - PCPL/CBWTF/2025-26/01

Date-02/06/2025

To

Regional Officers

Uttar Pradesh Pollution Control Board 1-A/I.N.S, 1, Delhi Rd, Avas Vikas Colony, Buddhi Vihar, Moradabad, Uttar Pradesh

Subject: Submission of monthly Bio Medical Waste Collection data of the month of APRIL-2025

Dear Sir,

This is with reference to submission of monthly bio medical waste collection as disposal report in

APRIL-2025

We are hereby submitting the monthly bio medical waste collection as disposal report APRIL -2025. This is for your information and records please.

For M/s. Punahchakran Pvt. Ltd.

PUNALICHAKRAN PVT 1.7D.



Director

Authorized Signatory

CC: Chief Environment Officer C-7 UPPCB, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh.

मार्ट जिन्मा हरवात्याद्याः १२- 6-25 सेत्रीय कार्यालय न गर्द्यण नियत्रण बोर्ड जावास विकास कालोनी जावास विकास कालोनी जावास विकास कालोनी Ja last, guaran



Facility Add.- Plot No - E-25/26 UPSIDA. Industrial Area Babrala-243751. Distr- Sambbal Regd. Ofc.- 9/34 Avas Vikas-3. Ambedkarpuram. Panki Road Kalyanpur Kanpur-208017 U.P.
 M punahchaktan ∂/gmail.com. 9956789525. 8707229503. Toll Free-18005725209
 Www.punahchaktan.com UN U99990UP2029PTC136326

			MU	ORADABA	,D		SAMBH	HAL		Tota	al WASTE
											ECTION OF
S.No.	DATE	YELLO	RED	BLUE	1 000		Sector a positive Manhama an angle			TH	HE DAY
	1	w	Weighting			YELLOW	RED	BLUE			
	1	Weight((Kg)		Weight(Kg)	Weighting	and the second sec	18.4		d /Recycle
	1	Kg)	and the second second	(~6)	(Kg)		and the second	(Xg)	(Kg)	Weight	Weight
1	1-Apr-2025	208.3	1.1	12.3	0.0	38.1	15	12.2	4		
2	2-Apr-2025	101.6	8.2	4	0.0	28.4			0	287.0	287
3	3-Apr-2025	202.2	15.4	13.5	0.0	1	28.5	17.7	0.5	188.9	188.9
4	4-Apr-2025	114.1	12.1	6.0	0.0	19.2	29.8	16.6	0.1	296.8	296.8
5	5-Apr-2025	189.1	12.5	11.0	0.0	15.6 34.2	19.9	13.5	0	181.3	181.3
6	6-Apr-2025	S	U	N 11.0	0.0	1	35.1	24.7	0.5	307.1	307.1
7	7-Apr-2025	218.8	16.3		1 22	D	A	<u> </u>	Y		
8	8-Apr-2025	186.1	18.2	15	0.3	27.5	34.6	17.8	0.5	330.8	330.8
9	9-Apr-2025	190.3	16.2	8.1 10.2	0.0	22.7	26.6	14.2	0	275.9	275.9
10	10-Apr-2025	180.3	21.2		0.0	33.9	34.5	9.4	0.5	292.9	292.9
11	11-Apr-2025	145.3	4.1	14.1 8.0	0.0	10.2	13.5	7.6	0	246.9	246.9
12	12-Apr-2025	180.2	1		0.0	25.9	31.8	21.5	0.5	237.1	237.1
13	13-Apr-2025	180.2 S	8.1	2.0	0.0	33.9	32.3	19.2	0	275.7	275.7
14	14-Apr-2025	+	U 20.2	N		D	A		Y		
15	15-Apr-2025	206.2	20.2	9	0.0	33.2	18.2	12.3	0.0	299.1	299.1
16	16-Apr-2025	180.7 190.6	25.2	11	0.0	37.5	38.2	25.3	0.5	318.4	318.4
17	17-Apr-2025	1	23.2	4	0.0	47.3	32.3	28.2	0.1	325.7	325.7
18	17-Apr-2025 18-Apr-2025	143.6	13.1	7.0	0.2	6.1	9.4	6.1	0	185.5	185.5
19	19-Apr-2025	128.3	6.0	11.0	0.5	29.3	40.9	28.3	0.5	244.8	244.8
		158.6	6.0	3.0	0.0	23.3	18.5	15		224.9	224.9
20	20-Apr-2025	S	U	N		D	A		Y	224.3	224.3
21	21-Apr-2025	198.4	9.2	19	0.4	14.1	18.6	9.4	0.5	200 0	200.0
22	22-Apr-2025	173.7	8.0	12.0	0.0	30.3	38.1	19.6	0.5	269.6	269.6
23	23-Apr-2025	165.5	14	8	0.0	13.6	1.3	8.3	0.5	282.2	282.2
24	24-Apr-2025	176.2	13.0	10.0	0.0	34.2	18.1	7.3	0.0	210.7	210.7
25	25-Apr-2025	180.2	18.0	8.0	0.0	32.1	12.1			258.8	258.8
26	26-Apr-2025	180.2	17.0	9.0	0.0	38.2		20.0			275.7
27	27-Apr-2025	S	U	N		D	A		0.0 Y	275.8	275.8
28	28-Apr-2025	198.2	32.0	16.0	0.0	42.3	8	15.2			
29	29-Apr-2025	198.4	14.0	0.0	0.0	34.3	8				311.7
30	30-Apr-2025	192.9	23	0	0.0	37.3	7	and a supervision of the course of the supervision			260.7
IOTA	1	Costing a	1. 5742 · · ·	· 202		1422	CONTRACTOR OF	Manager and the state	CONTRACTOR OF THE OWNER OF THE OWNER	the lot of	265.2 929.2



 Facility Add.- Plot No.- E-25/26 UPSIDA. Industrial Area Babrala-243751. Distt- Sambbal Regd. Ofc.- 9/34 Avas Vikas-3. Ambedkarpuran. Panki Road Kalyanpur Kanpur-208017 U.P.
 ☑ punahchakran à gmail.com. ☑ 9956789525. 8707229503. Toll Free-18005725209
 ☑ www.punahchakran.com — CIN U9009UP2020PTC136326

Ref. No. - PCPL/CBWTF/2025-26/02

Date-02/06/2025

To

Regional Officers

Uttar Pradesh Pollution Control Board 1-A/I.N.S, 1, Delhi Rd, Avas Vikas Colony, Buddhi Vihar, Moradabad, Uttar Pradesh

Subject: Submission of monthly Bio Medical Waste Collection data of the month of MAY-2025

Dear Sir,

This is with reference to submission of monthly bio medical waste collection as disposal report in

MAY-2025

We are hereby submitting the monthly bio medical waste collection as disposal report MAY -2025. This is for your information and records please.

For M/s. Punahchakran Pvt. Ltd.

PUNALICITAKRAN PVT 1.TD.



Director

Authorized Signatory

CC: Chief Environment Officer C-7 UPPCB, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh.

पारि किया है. हटवात्यर्थ 02-6.25 बात्राय कार्यालय उ.प्र. प्रदाग विंगन्नण वोर्ड 1-AII.N.S 1 आवास विकास कारवानी युद्धि विहार, गुरादाबार



Facility Add.- Plot No - 1-25/26 UPSIDA. Industrial Area Babrala-243751. Distt- Sambbal Regd. Ofc.- 9/34 Avas Vikas-3. Ambedkarpuram. Panki Road Kalyanpur Kanpur-208017 U/P. ⊠punahchakran a gunal com 129936789525. 8707229503. Toll Free-18005725209 ⊕ www.punahchakran.com (N 1900091P2020P1C136426)

MORADABAD					SAMBHAL				Total WASTE COLLECTION OF THE DAY		
5.No.	DATE	YELLO W Weight(Kg)	RED Weight(Kg)	BLUE Weight (Kg)	PPC Weight (Kg)	YELLOW Weight(Kg)	RED Weight(Kg)	BLUE Weight (Kg)		Total Weight	Dispose d /Recycle Weight
1	1-May-2025	182.6	17.0	4.0	0.0	24.7	12.9	4.6	0	245.8	245.8
2	2-May-2025	141.4	20.2	8	0.0	41.1	30.8	13.4	0.0	254.9	254.9
3	3-May-2025	149.6	20.0	7.0	0.0	22	12.2	15.2	0	226.0	226
4	4-May-2025	S		U	· · ·	N	· · · · · · · · · · · · · · · · · · ·	D	<u> </u>	A	Y
5	5-May-2025	215.3	22.0	6.0	0.0	35.1	18.1	4.3	0	300.8	300.8
6	6-May-2025	214.4	16	5	0.0	28.1	0	3.2	0.0	266.7	266.7
7	7-May-2025	171.1	10	5	0.2	22.9	16.2	10.8	0	236.2	236.2
8	8-May-2025	212.3	0.0	1.0	0.0	36.2	29.8	8.7	0	288.0	288
9	9-May-2025	144.7	0	5	0.0	19.2	19.9	8.6	0.4	197.8	197.8
10	10-May-2025	178.7	15.1	5.0	0.2	37.8	29.3	18.3	0.5	284.9	284.9
11	11-May-2025	S	'	U		N		D		A	Y
12	12-May-2025	202.3	20.3	16.0	0.2	33	33.2	18.5	0.5	324.0	324
13	13-May-2025	161.8	0	2	0.0	36.5	18.2	13.8	0.0	232.3	232.3
14	14-May-2025	160.7	14.3	8	0.0	24.5	20.5	12.3	0.5	240.8	240.8
15	15-May-2025	205.6	28.3	12.3	0.0	33.8	27.3	29.9	0.5	337.7	337.7
16	16-May-2025	204.8	28.3	15.3	0.0	23.7	22	8	0.0	302.1	302.1
17	17-May-2025	180.6	8.0	12.0	0.0	35.2	28.1	12.2	0	276.1	276.1
18	18-May-2025	S		U		N		D		Α	Y
19	19-May-2025	192.7	8.6	15.5	0.0	45.7	17.3	19.2	0	299.0 .	299
20	20-May-2025	184.5	12.6	3.2	0.0	30.6	10.2	2.5	0.1	243.7	243.7
21	21-May-2025	201.2	28.3	2.3	0.0	27.3	28.8	8.2	0.5	296.6	296.6
22	22-May-2025	190.4	20.1	8.5	0.0	35.1	12.1	6.2	0	272.4	272.4
23	23-May-2025	205.6	19.9	7.2	0.1	42.3	6.5	10.6	0.0	292.2	292.2
24	24-May-2025	167.3	18.1	7.1	0.0	46.1	17.4	20.1	0.5	276.6	276.6
25	25-May-2025	S		U		N		D		A	Y
26	26-May-2025	261.8	16.0	23.1	0.0	29.8	19.8	15	0.0	365.5	365.5
27	27-May-2025	235.9	12.7	10.8	0.0	31.6	10.5	13.7	0.0	315.2	315.2
28	28-May-2025	210.6	10.5	8.9	0.1	21.5	5.6	9.5	0.0	266.7	266.7
29	29-May-2025	235.9	9.6	8.3	0.0	25.8	6.9	8.4	0.0	294.9	294.9
30	30-May-2025	201.2	28.3	2.3	0.0	27.3	28.8	8.2	0.5	296.6	296.6
31	31-May-2025	225.9	25.3	8.9	0.0	31.2	10.5	6.4	0.0	308.2	308.2
	TOTAL	5730.9		Patrick N	horn	Station Fr. 18	Aller and and a		ALC: NO	民族調問	



UTTAR PRADESH POLLUTION CONTROL BOARD

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

Validity Period :19/12/2023 To 18/12/2028

Ref No. -194373/UPPCB/Moradabad(UPPCBRO)/CTE/SAMBHAL/2023

Dated:- 20/12/2023

To,

Shri SARVESH KUMAR SACHAN
M/s PUNAHCHAKRAN PRIVATE LIMITED
Plot No.- E-25/26, UPSIDC, Industrial Area, Babrala, Tehsil- Gunnour, Distt- Sambhal 244255
SAMBHAL

Sub: Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Polution) Act, 1981 as amended.

Please refer to your Application Form No.- 23095456 dated - 11/10/2023. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates : Lat -28.27785833 Long -78.43256389

B- Main Raw Material :

Main Raw Material Details						
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity				
BIO MEDICAL WASTE	Kg/Hour	•				

C- Product with capacity :

Product Detail					
Name of Product	Product Quantity				
Bio Medical Waste Incineration - 250 Kg Per Hour					

D- By-Product if any with capacity :

By Product Detail						
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity			
Autoclaving of plastic & needles – 1000 Kg/Batch	Metric Tonnes/Day					
Shredding of plastic & needles – 150 Kg/hr	Kg/Hour					

2. Water Requirement (in KLD) and its Source :

Source of Water Details						
Source Type	Name of Source	Quantity (KL/D)				
Ground Water (within premises)	BORE WELL	9.0				

3. Quantity of effluent (ln KLD) :

Effluent Details				
Source Consumption	Quantity (KL/D)			
Domestic	1.0			
Industrial	8.0			

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details						
Fuel Consumption(tpd/kld) Use						
Diesel	0.100	use in dg set				
Diesel	4.8	use in Incinerator				

5 For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

- 2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
- 3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 18/12/2028 to the Board.
- 4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution)Act, 1981 from the Board.
- 5. It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
- 6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

Specific Conditions:

1) This Consent to Establish is valid only for CBWTF in district Sambhal at Plot No. E-25, 26, UPSIDC Industrial Area, Babrala, Tehsil Gunor with plot area 0.89 Acre(3601 square meter). The capacity of the CBWTF is incinerator 250 kg/hr with ventury scrubber as APCS and stack height 30 meter from ground level and autoclave 1000 kg per batch and shredder 150 kg/hr.

2) Initially the Operating capacity of incinerator of CBWTF is restricted to 2.5 ton/day for a minimum period of six months and based on its performance operational capacity may be increased accordingly with prior information to CPCB.

3) The unit shall install stack height as per norms and take other measures to ensure that the operation of CBWTF shall have minimal impact on human health & environment around the proposed site.

4) Effluent generated shall be treated up to the standards as prescribed under the BMWM Rules, 2016 and shall be utilized completely for vehicle floor washing, cooling tower make up, gardening etc. CBWTF shall maintain zero liquid discharge from the CBWTF.

5) Adequate measures shall be taken for odour control by the CBWTF.

6) OCEMS shall be installed and connected with CPCB and UPPCB server for transmission of real time data for prescribed parameters of incinerator.

7) Unit shall comply with the conditions of Environmental Clearance issued by State Level Environment Impact Assessment Authority, Uttar Pradesh vide letter dated 20.12.2023.

8) Unit shall install ETP of 10 KLD and shall reuse the treated effluent in cleaning of ventury scrubber.

9) No effluent is allowed to discharge outside the premises.

10) The water requirement of the unit is 9 KLD out of which 8 KLD shall be used for industrial purpose and 1 KLD for domestic usage.

11) The industrial effluent shall be 7.8 KLD which shall be treated through ETP of 10 KLD and the treated effluent 7 KLD shall be reused in process, floor washing and scrubber.

12) Unit shall obtain registration under section 10 and 11 of UP Ground Water (Management and Regulations) Act 2019.

13) Unit shall install electromagnetic flow meter at the borewell and outlet of ETP.

14) Unit shall install web camera at the ETP and online effluent monitoring system at the outlet of ETP and ensure the connectivity wit the server of CPCB and UPPCB.

15) Unit shall provide port hole, ladder for emission monitoring and also install online emission monitoring system at the stack of incinerator and also ensure the connectivity with the server of CPCB and UPPCB

16) Unit shall install DG sets of 32 KVA, 32 KVA and 10 KVA with acoustic enclosure and stack height as per norms specified under Environment (Protection) Rules 1986.

17) Unit shall comply with the provisions of Rule 5 of Bio Medical Waste Management Rules 2016

18) Unit shall Operate only after obtaining prior Consent to Operate and authorization from UPPCB.19) Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as

amended, Air (Prevention and Control of Pollution) Act 1981 amended and Environment

(Protection) Act 1986, and direction issued by Hon'ble National Green Tribunal, New Delhi and Hon'ble Courts in OA no. 200/2014 MC Mehta vs Union of India and others.

20) The overall noise levels in and around area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc, on all sources of noise generation. The ambient noise level shall confirm to the standards under the Environment (Protection) Act 1986, viz. 75 dBA(day time) and 70 dBA(night time)

21) Unit shall make temporary storage facility for storage of hazardous waste in the premises before it will send to TSDF as per the provisions of Hazardous and Other Waste (Management and Transboundary Movement)Rules 2016.

22) Unit shall dispose the Hazardous Waste i.e. incineration Ash, Waste oil, and ETP Sludge through TSDF.

23) Unit shall dispose plastic/glass generated from auto claving and microwaving process through authorized recycler.

24) Unit shall establish Miyawaki Forest in premises so as to use the treated effluent within the unit premises. The area may be worked out which should be in consonance with the quantity of effluent. 25) Unit shall submit Bank guarantee of Rs. 3,00,000/- for within 15 days from the date of issue of this order for the compliance of above conditions.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 20/01/2024 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.



Chief Environment Officer

Dated:- 20/12/2023

Copy To -

Regional Officer Moradabad to ensure compliance with the conditions imposed in the consent order.

RAJENDRA Digitally signed by RAJENDRA SINGH SINGH Date: 2023.12.20 20:34:36 +05'30'

Chief Environment Officer



मिशन LiFE - पर्यावरण के लिए जीवन शैली (Lifestyle For Environment) जनसहभागिता का सन्देश



- स्वच्छता देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइक्लिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है वह भी क्या व्यक्तिगत रूप से ?
 छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्र्थाक्कीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |


202536/UPPCB/Moradabad(UPPCBRO)/CTO/both/SAMBHAL/2024

Date: 19/02/2024

To,

M/s

PUNAHCHAKRAN PRIVATE LIMITED

Plot No.- E-25/26, UPSIDC, Industrial Area, Babrala, Tehsil- Gunnour, Distt- Sambhal 244255 Application Id-24768716

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule-6(2) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 notified under Environment (Protection) Act, 1986 as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

CCA is hereby granted to **PUNAHCHAKRAN PRIVATE LIMITED** located at **Plot No.- E-25/26**, **UPSIDC, Industrial Area, Babrala, Tehsil- Gunnour, Distt- Sambhal 244255**. subject to the provisions of **the Water Act, Air Act and Hazardous and Other Wastes** (**Management and Transboundary Movement**) **Rules, 2016** and the orders that may be made further and subject to following terms and conditions :-

1. This CCA PUNAHCHAKRAN PRIVATE LIMITED granted for the period from 19/02/2024 to 31/12/2028 and valid for manufacturing of following products.

S No	Product	Quantity	Unit
---------	---------	----------	------

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
Domestic	0.8 KLD	Septic Tank	ground
Industrial	7.8 KLD	ЕТР	Reused in process and other utilities in the premises

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
1	рН	6.5 to 9
2	BOD	30 mg/l
3	Total Suspended Solids	100 mg/l
4	COD	250 mg/l
5	Oil & Grease	10 mg/l
6	Bio-Assay Test	90%survival of fish after 96 hours in 100 % effluent
7	Quantity of Discharge	7.8 KLD (reused in process or other utilities in the unit)

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

S No.	Parameters	Standards
1	рН	5.5-9
2	BOD (mg/L)	30mg/l
3	TSS (mg/L)	100mg/l

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
1	incinerator	Diesel	01	Particulate Matter	ventury scrubber, packed bed scrubber, activated carbon and mist eliminator at the incinerator and stack height 33 meter from ground level
2	DG Set 62.5 KVA	Diesel	02	Particulate Matter	Canopy and stack height of 1.6meter above the roof of nearest building.

Emmission Quality Standards

S No.	Stack no	Parameters	Standards
1	01	Particulate Matter	50mg/Nm3
2	02	Particulate Matter	As per E(P)Rules 1986

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time		Night Time		Night Time
	75	70	65	55	55	45	50	40

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

The Factory Manager of M/s PUNAHCHAKRAN PRIVATE LIMITED. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes. The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity(ton/annum)
1	Schedule I(Category 37.2) Ash from incinerator and flue gases cleaning residue	TSDF	1.8MT per Annum
2	Schedule I(Category 5.1) waste oil	TSDF/Authorized recycler	200 liter per annum
3	Schedule I(Category 3.3) sludge filter contaminated with oil	TSDF	10 number per annum
4	Schedule I(Category 35.3) ETP sludge	TSDF	1 Ton per Annum

The authorization shall be in force and shall be valid upto 31/12/2028. The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of Hazardous Waste authorization :-

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

(viii) The authorization is valid for temporary storage of Hazardous Waste within premises only.

(ix) The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises

(x) It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.

(xi) The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

(xii) In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

(xiii) Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.

(xiv) Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

(xv) The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.

(xvi) The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.

(xvii) In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes Rules, 2016 shall be submitted to the Board.

5. Essential documents to be submitted by the Industry/Unit as Applicable:-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

6. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

7. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.

8. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-http://www.upecp.in/TrainingSession.aspx for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

9. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the

competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

3. Treated Industial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof

6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-

1. This Consent to Operate is valid for operation of One Incinerator of capacity 250 Kg/Hour, Autoclave-1000 Kg/batch and Shredder-150 Kg/hour for disposal of Bio Medical Waste from Moradabad, Sambhal, Badaun, Aligarh, Hathras, Etah, Kasganj and Bulandshahar Area.

2. The Incineration capacity of the plant is restricted to 2.5 Ton Per Day in complinace of directions of CPCB issued vude letter dated 17.11.2023.

3. Unit shall conduct monitoring of the plant from UPPCB on paid basis in every month for the initial six months for checking of the perofrmance of the plant . Based on the performance of the plant the restricted incineration capacity 2.5 TPD shall be increased accordingly.

4. No expansion/installation of any machinery in the premises is permitted without obtaining Environmental Clearance and Consent to Establish from concerned authorities.

5. Unit shall comply with the conditions imposed in the Environmental Clerance issued by SEIAA vide letter dated 20-12-2023.

6. Unit shall ensure that the Liquid Waste is treated as per the norms prescribed in Bio-Medical Waste Management Rules, 2016 as amended.

7. Incinerator shall be operated in accordance with Bio-Medical Waste Management Rules, 2016 w.r.t. maintenance of Temperature for primary and secondary chamber of incinerator, Emissions etc. The secondary chamber gas residence time shall be at least 2 seconds.

8. Unit shall maintain and operate properly the installed online emission monitoring system at the stack of incinerator and ensure the connectivity to the servers of CPCB and UPPCB.

9. Unit shall operate and maintain the installed ventury scrubber, packed bed scrubber, activated carbon and mist eliminator at the incinerator and shall maintain the stack height 33 meter from ground level.

10. Unit shall install online effluent monitoring system at the outlet of ETP and ensure the connectivity to the servers of CPCB and UPPCB

11. DG set of 62.5 KVA shall always be equipped with canopy proper stack height of 1.6 meter above the roof of nearest building.

12. Record w.r.t. operational parameter of autoclave such as temperature, pressure etc. as well as records for validation test conducted to check efficiency of autoclave shall be maintained.

13. Discarded medicine shall be disposed as per the provisions of schedule 1 of Bio-Medical Waste Management Rules, 2016 as amended.

14. The CBWTF shall comply with the Bio Medical Waste Management Rules 2016 and annual report shall be submitted.

15. The CBWTF shall comply with the provisions of Hazardous and Other waste (Management and Trans boundary Movement) Rules, 2016.

16. The facility shall ensure Bar coding system to be adopted by members of healthcare facility in accordance with Bio Medical Waste Management Rules (BMWM) 2016.

17. Unit shall ensure strict compliance of Rule 4 & 5 of Bio-Medical Waste Management Rules, 2016 as amended 2018.

18. The Facility shall develop and maintain green belt as per the guidelines issued by the Board vide office order dated 16/02/2018, which is available on Board's Website- www.uppcb.com.

19. Separate space for untreated Bio Medical Waste shall be provided by facility as per CPCB guidelines/Bio Medical Waste Management Rules 2016

20. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.

21. The facility shall provide the list of members attached to CBWTF and details of Bio medical waste received and disposed during last quarter shall be submitted and record shall be properly maintained.

22. Industry shall comply with the relevant provisions of Environmental Laws.

23. Fly ash shall be disposed as per the provisions and guidelines of MoEF & CC, Govt. of India.

24. In compliance of Rule 18 of the Bio-Medical Waste Management Rules, 2016 the occupier or an operator of CBWTF shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical waste and shall be liable for action under section 5 and section 15 of the Act.

25. Unit must ensure compliance of Revised Guidelines for Common Bio-medical Waste Treatment and Disposal Facility.

26. This Consent order shall automatically become invalid on issuance of Closure Order by C.P.C.B / UPPCB and further on Revoking of Closure order, the Consent order shall become valid.



Copy to:

Regional Officer Bareilly to ensure the compliance of the conditions imposed in the consent order.





मिशन LiFE - पर्यावरण के लिए जीवन शैली (Lifestyle For Environment) जनसहभागिता का सन्देश



- स्वच्छता देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइक्लिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है वह भी क्या व्यक्तिगत रूप से ?
 छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्र्थाक्कीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand,Gomti Nagar, Lucknow-226010 Phone:0522-2720828, 2720831 Fax:0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

- 1. File no. of authorisation and date of issue: No:- 24776382 and Date:-22/02/2024
- 2. M/s PUNAHCHAKRAN PRIVATE LIMITED, SARVESH KUMAR SACHAN an occupier or operator of the facility located at Plot No.- E-25/26, UPSIDC, Industrial Area, Babrala, Tehsil- Gunnour, Distt-Sambhal 244255 is hereby granted an authorisation for:

Generation, segregationCollectionStorageImage: TransportationStorageImage: TransportationReceptionUseRecyclingOffering for salePackagingTransferTreatment or Processing orDisposal or destructionImage: Treatment or Processing orImage: TransferImage: Treatment or Processing orImage: Transfer</tabl

Any other form of handling

- 3. M/s PUNAHCHAKRAN PRIVATE LIMITED is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: 23417
 - (ii) Number of health care facilities covered by CBMWTF: 2357

(iii) Installed treatment and disposal capacity: 01 Incinerator of 250 kg/hour capacity, Autoclave 1000 Kg / batch capacity, Shredder 150 kg/hour

(iv) Area or distance covered by CBMWTF: Moradabad, Sambhal, Badaun, Aligarh, Hathras, Etah, Kasganj and Bulandshahar Area

- (v) Quantity of Biomedical waste handled, treated or disposed: 8820 Kg/Day
- 4. This authorisation shall be in force for a period of 5 Years from the date of issue.
- 4.1 The authorization shall be valid for till 31/12/2028
- 5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986



Rajendra Singh Chief Environment Officer

Terms and Conditions of Authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.

2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.

3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.

4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.

5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.

6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

1. This Authorization is valid for operation of One Incinerator of capacity 250 Kg/Hour, Autoclave-1000 Kg/batch and Shredder-150 Kg/hour for disposal of Bio Medical Waste from Moradabad, Sambhal, Badaun, Aligarh, Hathras, Etah, Kasganj and Bulandshahar Area.

2. The Incineration capacity of the plant is restricted to 2.5 Ton Per Day in complinace of directions of CPCB issued vude letter dated 17.11.2023.

3. Unit shall comply with Rule-5 of Bio Medical Waste Management Rules 2016 .

4. Unit shall ensure regular sanitization of workers involved in handling and collection of biomedical waste;

5. Workers shall be provided with adequate PPEs including three-layer masks, splash proof aprons/gowns, nitrile gloves, gum boots and safety goggles;

6. Vehicle should be sanitized with sodium hypochlorite or any appropriate chemical disinfectant after every trip.

7. Unit shall not allow any worker showing symptoms of illness to work at the facility. May provide adequate leave to such workers and by protecting their salary.

8. Unit shall register on 'COVID19BWM' Tracking App developed by CPCB and also ensure Copy To: Regional Officer Bareilly to ensure the compliance of the conditions imposed in the consent order. Amit Chandra Chief Environment Officer registration of Waste Handler (with vehicle) for entering the data of COVID-19 biomedical waste received and disposed.

9. Provide training to Waste handlers on infection prevention measures, hand hygiene, respiratory etiquettes, social distancing, use of PPE, etc. via videos and demonstrations etc. translated in local language. Sanitation workers more than 50-yr of age should be posted for management of non-COVID waste.

10. Unit shall operate and maintain properly the bar coding system and GPS installed in all the vehicles for transportation of bio medical waste.

11. Unit shall ensure occupational safety of its works by providing appropriate and adequate personal protective equipment.

12. Unit shall maintain a log book for each of its treatment equipment according to weight of batch; categories of waste treated; time, date and duration of treatment cycle and total hours of operation.

13. Unit shall display details of authorization, treatment, annual report etc on its website.

14. Unit shall maintain all record for operation of Incinerator, Autoclave.

15. Ash from incineration of Bio Medical Waste shall be disposed at common Hazardous Waste Treatment and disposal facility.

16. Compressed Natural Gas, Liquefied Natural Gas or Liquefied Petroleum Gas shall be used as fuel in the Incinerator with low Sulphur fuel like Light Diesel Oil or Low Sulphur Heavy Stock or Diesel used as standby fuel only.

Rajendra Singh Digitally signed by Rajendra Singh Date: 2024.02.23 10:52:15 +05'30'

Dated:22/02/2024

Memo No.: 24776382

Copy To: Moradabad

Rajendra Digitally signed by Rajendra Singh Date: 2024.02.23 Singh 10:51:47 +05'30'

Rajendra Singh Chief Environment Officer



मिशन LiFE - पर्यावरण के लिए जीवन शैली (Lifestyle For Environment) जनसहभागिता का सन्देश



- स्वच्छता देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइक्लिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है वह भी क्या व्यक्तिगत रूप से ?
 छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्र्थाक्कीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |



GROUND WATER DEPARTMENT (Namami Gange & Rural Water Supply Department) Ministry of Jal Shakti Government of Uttar Pradesh

Form 3 (A)

[See Rule 8(1)]

Certificate of Registration of User for Abstraction of Ground Water

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202204000758	3		
Name of the Owner	RAJESH KUMAR		
Designation पद	Authorized Person	Company Name कंपनी का नाम	Punahchakran Private Limited
Company Address कंपनी का पता	Plot No E-25, 26 UPSIDC, Industrial Area, Babral	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	9/34 AMBEDKARPURAM AWAS VIKAS-3, KALYANPUR KANPUR	Application Form Serial No.	SMBL0422RIN0042
Date of Submission	29/04/2022	Specimen Signature	
Location Particulars			
District	Sambhal	Block	GUNNAUR
Plot No./Khasra No.	E-25, 26	Municipality/Corporation	No
Ward No./Holding No.			N/A
Particular of the Proposed Well	and Pumping Device		
Date of Construction/Sinking of the Well	10/05/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	90.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)	·		
Type of Pump Used	Submersible	H.P. of the Pump	1.00
Operational Device	Electric Motor	Rate of Withdrawal (m ³ /hr.)	4.50
Date of Energization (In Case of Elec	tric Pump)	11/05/2022	

Conditions

This certificate of registration is issued on the basis of the information furnished by the applicant subject to the conditions stated overleaf.

1. For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix water meters, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters.

- 2. The District Ground Water Management Council reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands. 3. In case of any change of ownership of the existing well, fresh registration has to be obtained.
- 4. No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SI. (2) and (3) of this certificate shall be made without prior permission of the District Ground Water Management Council. Any deviation in this regard shall lead to cancellation of this registration.
- 5. In case, any of the particulars *I* information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- 6. Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.

7. Guidelines for Installation of Piezometers and their Monitoring

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism		
0.110	Quantum of Ground water withdrawar (cum/day)	No.or piezometers required	Manual	DWLR with Telemetry	
1	< 10	0	0	0	
2	11 - 50	1	1	0	
3	50- 500	1	0	1	
4	> 500	2	0	2	

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 It capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.

8. Any other condition(s) that may be imposed by the District Ground Water Management Council.

Date :22/08/2022

Place:Sambhal

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT (Namami Gange & Rural Water Supply Department) Ministry of Jal Shakti Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC011464

VALID FROM 22/08/2022 TO 21/08/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202205000571			
Name of the Owner	RAJESH KUMAR		
Designation पद	Authorized Person	Company Name कंपनी का नाम	Punahchakran Private Limited
Company Address कंपनी का पता	Plot No E-25, 26 UPSIDC, Industrial Area, Babral	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	9/34 AMBEDKARPURAM AWAS VIKAS-3, KALYANPUR KANPUR	Application Form Serial No.	SMBL0522NIN0018
Date of Submission	18/05/2022	Specimen Signature	
Location Particulars			
District	Sambhal	Block	GUNNAUR
Plot No./Khasra No.	E-25, 26	Municipality/Corporation	No
Ward No./Holding No.			N/A
Particular of the Proposed Well	and Pumping Device		
Date of Construction/Sinking of the Well	28/05/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	90.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	1.00
Operational Device	Electric Motor	Rate of Withdrawal (m ³ /hr.)	4.50
Date of Energization (In Case of Elec	tric Pump)	29/05/2022	
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	4.50	Maximum Allowable Running Hours Per Day:	2.00
Maximum Allowable Annual Extraction of Ground Water:	2700.00	Recharge Required	5400.00

• This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at SI. (2) for extraction of ground water at a rate not exceeding that as shown at SI. (3j), for Running Hours per day as shown at SI. (3k), and for maximum allowable annual extraction of ground water as shown at SI. (3k) and is valid subject to the observance of the conditions stated overleaf.

• Holder of this NOC is hereby directed to assure annual recharge of 5400.00 cubic meter, as specified under the application form.

GENERAL CONDITIONS:

• Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.

• In case of any change of ownership of the proposed well, fresh authorization has to be obtained.

• No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization

8/24/22, 4:40 PM

- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry
 system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been
 extracted by the said user, until the contrarv is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SI. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis

Guidelines for Installation of Piezometers and their Monitoring

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism		
3.110		No.or piezometers required	Manual	DWLR with Telemetry	
1	< 10	0 0		0	
2	11 - 50	1	1	0	
3	50- 500	1	0	1	
4	> 500	2	0	2	

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 It capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.

SPECIFIC CONDITIONS:

- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
- i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
- ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be
 mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation
 well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/
 wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
- v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- •
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
- i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
- ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :22/08/2022

Place:Sambhal

This certificate is electronically generated and does not require digital signature

av heldellar पहुंचे। सवाद आकाश सक्सेना ने वर्ष

प्रेमिका को देखकर

तडके में विवाह ने राहत की सां प्रभारी निरीव बहस्पतिवार की गांव की युवती आई। कहा कि बैंक्वेट हॉल में उसने उसके सा

मंडी धनौरा (अमरोहा)। प्रेमी के शादी करने की सूचना पर प्रेमिका अपने जीजा और पुलिस को साथ लेकर मंडप में पहुंच गई। प्रेमिका को देखकर दुल्हा बना प्रेमी वहां से भाग निकला। प्रेमिका ने हंगामा खड़ा कर दिया। रात भर विवाह स्थल पर ड्रामा चलता रहा। हालांकि, दूल्हे के परिजनों ने किसी तरह उसे समझाया। जिसके बाद वह चली गई।

पता का शिकायत पर बसंत सिंह सैनी पैरवी कर रहे थे। शुक्रवार को न्यायालय ने मुकदमे में सनवाई की। साक्ष्यों और सबूतों के आधार पर

शहजाद और सहेली को दोषी करार दिया। न्यायालय ने दोषी शहजाद को 20 साल की सजा और 40 हजार रुपये का जुर्माना लगाया है। जबकि दोषी सहेली को पांच साल की सजा और 10 हजार रुपये का जुर्माना लगाया है। वहीं एक आरोपी की पत्रावली किशोर न्याय बोर्ड में चल रही है।

त चारों के खिलाफ मुकदमा दुर्ज किया बाद पुलिस ने किशोरी कर लिया। पीड़िता के आधार पर पुलिस ने रपीट, दुष्कर्म, षड्यंत्र एक्ट की धाराओं की

पुलिस ने आरोपी इता की सहेली समेत फ्तार कर जेल, भेज ो आरोपी जमानतं पर

-

र ने पूछा,	आवास के बदले पैसे तो नहीं दिए	T	र्यालय
त्री आवास योजना के नाम पर उपाही के एक के लिए नामित संस्था सरयू बाबू इंजीनियर फॉर रिसोर्स त वीडियो को गंभीरता से लेते हुए आपर दे के लिए नामित संस्था सरयू बाबू इंजीनियर फॉर रिसोर्स			:- 1444 / लेखा/प
राथ विकास अभिकरण) के परियोजना . उगाही का यह मामला तीन दिन पहले उसावां में भारत संकल्प		-	1
) देवेश कुमार सिंह को निलंबित कर दिया। सिविल इंजीनियर शिव कुमार को भी धर्मेंद्र कश्यप ने योजना के लाभाधियों को प्रतीकात्मक रूप से		महामहिम राज्यपाल उ०प्र0 16.01.2024 के अपरान्ह	
सिवल इजानियर शिव कुमार को भी महै। इसके साथ ही प्रोजेक्ट की मॉनिटरिंग चाबियों का वितरण भी किया था। संवद		अभियन्त्रण विभाग अथवा वि	
			ह 1:00 बजे तक क
बर के कई पहलू			ताक्षरी के द्वारा नामित
न स्टोरी' में	This is to declare that M/s PUNAHCHAKRAN PVT. LTD. at	क्र.सं.	Sector Party in
jala.com	Plot No. E-25/26, UPSIDC Industrial Area, Babrala, Sambhal		1
and the second s	U.P. has been accorded Environmental Clearance vide EG identification No. EC23B057UP195254 dated 20.12.2023 from	1	-
द्वे पत्र	State Environment Impact Assessment Authority (SEIAA)	1	ग्राम पंचायत शकूर नाला निर्माण।
2024 के अमर उजाला पंचायत चन्दनपुर, इंसापुर	Uttar Pradesh for setting up a Common Bio-Medical Waste	2	ग्राम भीकनपुर में म
द की निविदा सूचना में	Treatment Facility (CBWTF) unit. The copy of Environmental Clearance is available on Directorate of Environment, Govt. of	3	ग्राम पंचायत तिगरिय
ध भूलवश 20.07.2024 ते तिथि 20.01.2024 है	Uttar Pradesh website: http://www.seiaaup.in/	4	ग्राम पंचायत कुमर
2 में रूप किशोर नारायण गेर पढा जाए शेष निविदा	M/s PUNAHCHAKRAN PVT. LTD.		निर्माण।
प्रधान/सचिव	Plot No. E-25/26,	5	ग्राम छीतरा में चरन
.ख. मूण्डापाण्डे, मुरादाबाद	UPSIDC Industrial Area, Babrala, Sambhal, U.P.	6	ग्राम पंचायत मझोल
Time		7	ग्राम पंचायत सादुह
आग्लादी ॥ अमृत महोत्सव	ज्यान विपाम (मुख्यालय)।	- 8	ग्राम पंचायत नगल
-प्रणाली के अन्तर्गत	ई-1 ब्लॉक, १८वां तल, डॉ. एस.पी.एम. सिविक सेन्टर,	1	निर्माण।
तवे मुरादाबाद-244001	जे.एल. नेहरू सार्ग,नई दिल्ली–110002	9	ग्राम फौंदापुर में ध
दा प्रणाली के अन्तेंगत	ई-निविदा सूचना	10	ग्राम बैरमपुर में स्ट
	एनआईटी नं डीडीएच / (एचक्यू)॥ / एमसीडी / 2023-24 / डी-1752 / एनआईटी नं 40 दिनांक 16.01.2024 के माध्यम से जारी निविदा सं 2024_MCD_181946 1	11	ग्राम बजीरपर उक
मात्रा	के अनुसार एमसीडी में बच्चों के खेलने के उपकरणों की आपूर्ति एवं संस्थापन	12	ग्राम बागंडपुर में
प्रपाल र रहे प्र	के वर अनुबंध हेतु बच्चों के खेलने के उपकरणों के अनुभवी एवं वित्तीय रूप से सुदृढ़ भारतीय विनिर्माता या उनके अधिकृत डीलर/डिस्ट्रीब्यूर से एकल	13	the second s
5 साम्य विशेष Nos.	चरण–दो निविदा प्रणाली के अंतर्गत ऑनलाइन खुली निविदाए आमंत्रित को जाती है। आर सी, राशि रु. 5 करोड., निविदा कीमत रु 2360 / –, इंएमडी रु.	15	ग्राम ढकियाभुइ मे
भार का संशोधन	10 लाख, आर.सी. अवधि 12 माह है। निविदा जमा करने की अतिम तिथि 31.01.2024 को साथ 5.00 बजे तक है। तकनीकी निविदाए खुलना 01.02.2024	16	ग्राम पंचायत कुम
1	का प्राय 11 बजा इन्ट्रेडार्ग के लिए विस्तत तियम व बाने के आफा निकिन्त	17	ग्राम पंचायतं वसी
	दस्तावेज वेबसाइट https://etenders.gov.in/eprocure/app या एगसीडी वेबसाइट www.mcdonline.nic.in से डाउनलोड किये जा सकते हैं ।	18	ग्राम पंचायत बिजो- ग्राम पंचायत सादल
gov.in पर जपलका है। रण कराने के लिए भारत	अनिलाइन निविद्या हेल्पडेस्क न. 011-23227413 एवं 011-23227414 हैं या ई-मेल ithelpdesk@mcd.nic.in पर सम्पर्क करें। इस निविदा के संबध में	20	ग्राम पंचायत रखेड़ा
रत एजींसी से वलास ॥।	संशोधन, संपद्धांकरण, शुद्धपत्र, पाराशाद्ध, समय विस्तार आदि, यदि कोई हो, के सभी विवरण केवल एमसीढी वेबसाइट पर आग्रजंड किये, जर्मने और कार्यु हो, के	21	ग्राम पंचायत सलारप
-8/LP/2023	THINKLAN A MOTIVIC AND COLD STORE STORE STORESTOR CONTRACT STORES		ग्राम पंचायत सलेमपु
	में नवीनतम जानकारी के लिए वेबसाइट नियमित रूप से देखते रहे। BONG 73000000000000000000000000000000000000	23	ग्राम पंचायत बाटुपुरा निर्माण (अवशेष का
SUIRTHIN 220/24	R.O. No.72/DPI/MCD/2023-24	and the second sec	गाम पंचायत शहवाजा
Garage	Alla aimma urber urber multin traffic an an an a	1000	कार्य)।
निवाङ्खास)	संयुक्त प्रवेश परीक्षा पॉलीटेक्निक UPJEE (P) 2024 के ऑनलाइन आवेदन पत्रों की उपलब्धता के सम्बन्ध में सूचना		प्राम रखेड़ा में रामपाल
(मुरादाबाद)	service of fram singly american of that its all distributions a method	the second s	कार्य)।
fe-par 19-01-2024	(संरचन हन्दी) ये प्रवेश आवर्षन संरक्ष माधान प्रवेश प्रवेश के प्रथम वर्ष प्रव दिलीय वर्ष (संरचन हन्दी) ये प्रवेश आवर्षन संरक्षा माधान प्रवेश प्रविश क्षेत्रीनीविष्ट (B) कि		गम याकृबपुर उर्फ अ
Then down the	MACHEL MERCHAN AN ALTER AND ALTER AN	27 3	गम खेड़कीभूढ़ में संत
वितन केवल, वितास 01.04.2023 बरवे इस पास पंथापत क्या जन्मेहन 2024 फी 12.35 की बार जन्मे	UPJEE (P)-2024 के उलिलसित पाठप्रजमी में प्रवेश हेलु आंगलाइन आवेदन पत्र प्रशिप्तवनक की वेवसाइट www.jeecup.admissions.nic.in पर दिनाज 08.01 2024 से उपलब्ध कराये गये हे जिस्मार्थ अधिक विनोध-29.02 2024 निमाणिक है.	the second se	गम यकवगड़ी में मैन हार्य।
and the second second second second	The second s	18	



NOTICE

This is to declare that **M**/s **PUNAHCHAKRAN PVT. LTD.** at Plot No: E–25/26, UPSIDC Industrial Area, Babrala, Sambhal, U.P. has been accorded Environmental Clearance vide EC identification No. EC23B057UP195254 dated 20.12.2023 from State Environment Impact Assessment Authority (SEIAA), Uttar Pradesh for setting up a Common Bio-Medical Waste Treatment Facility (CBWTF) unit.

The copy of Environmental Clearance is available on Directorate of Environment, Govt. of Uttar Pradesh website: http://www.seiaaup.in/

LATEST PHOTOGRAPHS OF THE CBWTF UNIT















